



The **Sable Frame 2 Series** uses Elite's **CineWhite™** tensioned 1.1 gain material within a velveteen coated frame. A new design feature for the **CineWhite™** material is a rubber-edge border that makes installation a lot easier and a lot less time consuming. As an added bonus, a new installation kit with sliding wall brackets is included free of charge.

Features

Screen Material

- Award Winning CineWhite™ 1.1 Gain front projection material with black backing and full tension uniformity across entire viewing surface
- Outstanding picture quality at any viewing angle with no compromise in resolution or brightness
- Active 3D and 4K Ultra HD Ready
- Elegant velvet covered frame absorbs projector overshoot and increases picture contrast
- Assembles in minutes and includes installation hardware
- Available in various sizes and aspect ratios

Design and Installation

- 2.4" width frame and is velvet coated
- Split-frame design facilitates lower shipping costs without sacrificing quality
- Easy to assemble and install in minutes
- Wall brackets allow screen to slide horizontally for properly centered installation
- Installation kit includes: Woods screws & anchors, Wall Brackets, Screwdriver, Mallet





2016 SableFrame 2 Series Product Brochure

The Sable Frame 2 is a versatile fixed frame projection screen for Home Cinema and Commercial applications.



SableFrame 2 Series

The Sable Frame 2 is a versatile fixed frame projection screen for Home Cinema and Commercial applications.



Screen Material:

- Award winning Home Theater Screen with full tension uniformity
- Outstanding picture quality at any viewing angle with no compromise in resolution or brightness
- CineWhite 1.1 Gain flat tensioned material
- Standard black backing eliminates light penetration
- Wide viewing angle with excellent diffusion uniformity
- Active 3D and 4K Ultra HD Ready

Frame and Installation:

- 2.4" width frame and is velvet coated
- Split-frame design facilitates lower shipping costs without sacrificing quality
- Easy to assemble and install in minutes
- Wall brackets allow screen to slide horizontally for properly centered installation
- Installation kit includes: Wood screws & anchors, Wall Brackets, Screwdriver, Mallet

SableFrame 2 Series

Model	Screen Diag. & Aspect Ratio	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	N.W. (lbs.)	G.W. (lbs.)	N.W. (kgs)	G.W. (Kgs)	Packaging Dimensions (LxHxW)	Gain	Screen Material
ER92WH2	92" (16:9)	45.0	79.9	124.0	221.0	23.0	31.0	10.5	14.1	56.7"x6.7"x11.8	1.1	CineWhite
ER100WH2	100" (16:9)	49.0	87.0	124.5	221.0	22.4	34.2	10.1	15.5	61.42"x6.69"x11.81"	1.1	CineWhite
ER106WH2	106" (16:9)	51.9	92.2	131.8	234.2	25.9	35.0	11.8	15.9	63.54"x6.7"x11.81"	1.1	CineWhite
ER110WH2	110" (16:9)	54.0	96.0	137.2	243.8	25.9	35.6	11.8	16.2	65.51"x6.69"x11.81"	1.1	CineWhite
ER120WH2	120" (16:9)	59.0	104.7	167.6	297.2	28.2	38.3	11.1	15.5	69.69"x6.69"x11.81"	1.1	CineWhite
ER135WH2	135" (16:9)	66.0	117.0	167.6	297.1	Please visit www.elitescreens.com				1.1	CineWhite	
ER150WH2	150" (16:9)	73.6	130.7	186.9	332.0	33.4	45.8	15.2	20.8	85.63"x5.71"x15.75"	1.1	CineWhite
ER180WH2	180" (16:9)	88.3	156.9	224.3	398.5	Please visit www.elitescreens.com				1.1	CineWhite	
ER200WH2	200" (16:9)	98.0	174.0	248.9	442.0	Please visit www.elitescreens.com				1.1	CineWhite	
ER109WX2	109" (16:10)	57.5	92.0	146.0	233.6	24.4	35.9	11.1	16.3	69.4"x6.7"x11.81"	1.1	CineWhite
ER114WX2	114" (16:10)	60.0	96.0	152.4	243.8	Please visit www.elitescreens.com				1.1	CineWhite	
ER115WH2-Wide	115" (2.35:1)	45.1	106.0	114.6	269.2	Please visit www.elitescreens.com				1.1	CineWhite	
ER125WH2-Wide	125" (2.35:1)	49.0	115.2	124.5	292.5	27.8	37.4	12.6	16.9	67.13"x5.51"x15.75"	1.1	CineWhite
ER138WH2-Wide	138" (2.35:1)	54.0	126.9	137.2	322.3	31.5	41.0	14.3	18.6	73.03"x5.51"x15.75"	1.1	CineWhite

SableFrame 2 Dimensions Table

Model	Screen Diag. & Aspect Ratio	Overall Width (A1)	Viewing Width (A)	Overall Height (B1)	Viewing Height (B)	Frame Width (C)	Frame Depth (D)
ER92WH2	92" (16:9)	2157	2037	1265	1145	60	40
ER100WH2	100" (16:9)	2334	2214	1365	1245	60	40
ER106WH2	106" (16:9)	2467	2347	1440	1320	60	40
ER110WH2	110" (16:9)	2555	2435	1490	1370	60	40
ER120WH2	120" (16:9)	2777	2657	1614	1494	60	40
ER135WH2	135" (16:9)	3110	2990	1800	1680	60	40
ER150WH2	150" (16:9)	3440	3320	1990	1870	60	40
ER180WH2	180" (16:9)	4105	3985	2360	2240	60	40
ER200WH2	200" (16:9)	4550	4430	2610	2490	60	40
ER109WX2	109" (16:10)	2456	2336	1579	1460	60	40
ER114WX2	114" (16:10)	2557	2438	1643	1524	60	40
ER115WH2-Wide	115" (2.35:1)	2808	2688	1264	1144	60	40
ER125WH2-Wide	125" (2.35:1)	3041	2921	1363	1243	60	40
ER138WH2-Wide	138" (2.35:1)	3345	3225	1492	1372	60	40

Unit: mm

Model	Screen Diag. & Aspect Ratio	Overall Width (A1)	Viewing Width (A)	Overall Height (B1)	Viewing Height (B)	Frame Width (C)	Frame Depth (D)
ER92WH2	92" (16:9)	84.9	80.2	49.8	45.1	2.4	1.6
ER100WH2	100" (16:9)	91.9	87.2	53.7	49	2.4	1.6
ER106WH2	106" (16:9)	97.1	92.4	56.7	52	2.4	1.6
ER110WH2	110" (16:9)	100.6	95.9	58.7	53.9	2.4	1.6
ER120WH2	120" (16:9)	109.3	104.6	63.5	58.8	2.4	1.6
ER135WH2	135" (16:9)	122.4	117.7	70.9	66.1	2.4	1.6
ER150WH2	150" (16:9)	135.4	130.7	78.3	73.6	2.4	1.6
ER180WH2	180" (16:9)	161.6	156.9	92.9	88.2	2.4	1.6
ER200WH2	200" (16:9)	179.1	174.4	102.8	98	2.4	1.6
ER109WX2	109" (16:10)	96.7	92	62.2	57.5	2.4	1.6
ER114WX2	114" (16:10)	100.7	96	64.7	60	2.4	1.6
ER115WH2-Wide	115" (2.35:1)	110.6	105.8	49.8	45	2.4	1.6
ER125WH2-Wide	125" (2.35:1)	119.7	115	53.7	48.9	2.4	1.6
ER138WH2-Wide	138" (2.35:1)	131.7	127	58.7	54	2.4	1.6

Unit: inch

The listed measurements are for general reference only. Please contact Elite Screens to verify product design and dimensions before attempting to integrate its products with any structural or furniture modification. Although a manufacturer may offer product advice, it may be taken or disregarded at the integrator's discretion. Elite Screens will not be held responsible or be otherwise liable for faulty installations.

